

Industrial Panel PC

12" Ultra Slim Celeron M Stainless Steel Fanless Panel PC

APC-3280



Features

- Ultra slim, sealed stainless steel enclosure
- Supports Intel Celeron M 1GHz up to Pentium M 1.8GHz CPU
- IP 65 Compliant except I/O side
- Fanless and low-power consumption
- 12" TFT LCD display (300 nits)
- Resistive touch screen (optional)
- Wireless 802.11g LAN (optional)
- Support VESA 75 mount
- DC 11~28V wide-range power input

System Specifications

CPU	Intel Celeron M 1GHz up to Pentium M 1.8GHz
DRAM	up to 1GB DDR SDRAM
Storage	Space for 1x 2.5" HDD
I/O Ports	1 x COM port, 1 x PS/2 keyboard & mouse , 4 x USB 2.0, 1 x Audio Mic, Line-in, Line-out, 1 x parallel port, 1 x VGA, 1 x LAN
Expansion	No Expansion slot
Fanless / Fan	Fanless
Touch screen	Analog resistive (optional)

Display Specifications

LCD	12" SVGA
Resolution	800x600
Luminance	300 cd/m ²
Backlight Lifetime	50,000hrs
Dimension	330(W) x 260(H) x 59(D)mm

Mechanical Specifications

Construction	Stainless steel enclosure
Power input	DC 11~28V
Operating Temperature	0~50° C
Storage Temperature	0~60° C
Certifications	CE and FCC class A
Rating	NEMA 4/IP 65
Mounting	VESA 75 mount

Dimensions

