

805.RAS1616.EN**CABLE GLAND**

M16X1,5 EMC EPDM IP66/IP68 GREY
II 2GD IM 2



* Product image may be indicative



IEC 62153-4-3 (2013)
IEC 62153-4-4 (2015)

ATEX directive 2014/34/EU
EMC directive 2014/30/EU

■ GENERAL CHARACTERISTICS

Commercial Series	UNION-EX[OTN] Series
Synthetical description	CABLE GLAND
Type	EMC

■ EX CHARACTERISTICS

Group and categories EX	II 2GD
	IM 2
Dust protection	Ex tb IIIC Db IP66

■ PHYSICAL CHARACTERISTICS

Protection degree IP	IP66/IP68
Gasket	EPDM
Material	NICKEL PLATED
Colour	GREY
Ambient temperature Ta min	-40 °C
Ambient temperature Ta max	100 °C

■ DIMENSIONAL CHARACTERISTICS

Thread (type)	Metric
Thread	M16X1,5
Cables (outer sheath)	ø4÷7mm
	ø7÷10mm
Wrench body fixing (C1)	24mm
Wrench nut fixing (C2)	24mm

■ DOWNLOAD

Technical drawing [PDF]
Technical drawing [DWG]
Technical drawing [STP]

■ OPTIONS & VARIOUS NOTES

Catalogue notes	EMC (Electromagnetic Compatibility) compliant connection
	ATEX [ATmosphères EXplosibles]: for applications in potentially explosive atmospheres.